

EMPowered™



Exterior Projection: 3/4"



Interior Projection: 1 1/2"
 Projection with Thumbturn: 2 1/8"

EMPowered™ Product Features:

- Standard door prep 2 1/8" bore.
- Fits standard door thickness of 1 1/2" to 2 1/4".
- Complete set includes both 2 3/8" and 2 3/4" latches, strike plates and 4 AA batteries.
- EMPowered Deadbolt only available with square corner latch face plate.
- Tapered Deadbolt
- Emtek's standard mechanical and finish warranties along with a 1 year warranty on electronic components.

BACKLIT KEYPAD - Keypad wakes with a touch and includes numbers that won't wear off.

OPTIONAL SETTINGS - Customized auto re-lock, privacy mode and tamper alarms with the lock settings.

MOTORIZED DEADBOLT - Quiet motor with tapered deadbolt to accommodate misaligned doors.

SIMPLE INSTALLATION - Replaces existing deadbolt with just a screwdriver.

WEATHER PROTECTED - Rubber gasket increases protection against outdoor environments.

MANAGE CODES - Create up to 25 user PIN codes to share with friends and family. Unlimited codes with Connected by August.

EMPowered™ SMART Lock Features:

CONTROL FROM ANYWHERE - Includes the August Connect Wi-Fi Bridge so you can lock and unlock from anywhere using your August app.

SHARE ACCESS - Grant access to your home for the people you trust. Give permanent/temporary access or set a unique access schedule.

24/7 HISTORY - See who comes and goes with smartphone notifications and a 24/7 access history in the app.

USE YOUR VOICE - Works with the three leading voice assistants; Amazon Alexa, Google Assistant and Siri.

COMES WITH AUGUST DOORSENSE™ - Know if your door is not only locked or unlocked but also closed or opened.



WORKS WITH AUGUST DOORBELLS - See who's at your door and unlock the door right from your August app.

AUTO-LOCK - Never worry if your door is locked again. Auto-Lock can be set for immediate or on a timer for as short as 30 sec or as long as 30 min.

AUTO UN-LOCK - Auto-Unlock knows when you arrive and unlocks the door as you approach. Never fumble for keys again.



EMTOUCH™





Adaptors available for leversets to fit doors between 1 3/8" and 1 5/8" thick.

Product Features:


- Fits any door between 1 3/4" to 2 1/4" thick with a 2 1/8" bore standard door prep.
- Installs easily with only a Phillips head screwdriver.
- Easy to use installation and programming instructions included.
- Factory programmed with 2 unique, secure user codes for use right out of the box.
- Can be programmed with up to 20 user codes of your choice.
- Codes can be added and deleted.
- Easy lock operation, simply push the Emtek button and turn the exterior thumb turn to lock.
- Easy unlock operation, enter the 4 digit code and turn the exterior thumb turn.
- Programming changes can be made easily using the keypad.
- Sleek keypad has a protective coating to prevent wear patterns.
- Illuminated keypad for easy and quick operation after dark.
- Low battery indicator lets you know when it's time to change the battery.
- Emtek's standard mechanical and finish warranties along with a 2 year warranty on electronic components.

EMTOUCH™




Adaptors available for leversets to fit doors between 1 3/8" and 1 5/8" thick.

		<p>Passage Function in Locked Mode</p> <ul style="list-style-type: none"> • Outside lever always locked • Entry by code or key only • Inside lever always free
<p>Passage Function Shown in Passage Mode</p>		<p>Passage Function in Passage Mode</p> <ul style="list-style-type: none"> • Outside lever always free • Entry by operating lever, no code or key required. • Inside lever always free
<p> Storeroom / Gate Function</p> <ul style="list-style-type: none"> • Outside lever always locked • Entry by code or key only • Inside lever always free 		


EMTOUCH™ CLASSIC**Product Features:**

- Fits any door between 1 3/4" to 2 1/4" thick with a 2 1/8" bore standard door prep.
- Installs easily with only a Phillips head screwdriver.
- Easy to use installation and programming instructions included.
- Factory programmed with 2 unique, secure user codes for use right out of the box.
- Can be programmed with up to 20 user codes of your choice.
- Codes can be added and deleted.
- Easy lock operation, simply push the Emtek button and turn the exterior thumb turn to lock.
- Easy unlock operation, enter the 4 digit code and turn the exterior thumb turn.
- Programming changes can be made easily using the keypad.
- Sleek keypad has a protective coating to prevent wear patterns.
- Illuminated keypad for easy and quick operation after dark.
- Low battery indicator lets you know when it's time to change the battery.
- Emtek's standard mechanical and finish warranties along with a 2 year warranty on electronic components.


EMTOUCH™ CLASSIC



Exterior Projection: 3 1/4"



Interior Projection: 3 1/8"



Adaptors available for leversets to fit doors between 1 3/8" and 1 5/8" thick.



Passage Function
Shown in Passage
Mode

Storeroom/Gate
Function



- Storeroom / Gate Function**
- Outside lever always locked
 - Entry by code or key only
 - Inside lever always free





Passage Function in Locked Mode

- Outside lever always locked
- Entry by code or key only
- Inside lever always free



Passage Function in Passage Mode



- Outside lever always free
- Entry by operating lever, no code or key required.
- Inside lever always free



Adaptors available for deadbolts to fit doors between 1 3/8" and 1 5/8" thick.

Product Features:

- Fits any door between 1 3/4" to 2 1/4" thick with a 2 7/8" bore standard door prep.
- Installs easily with only a Phillips head screwdriver.
- Easy to use installation and programming instructions included.
- Factory programmed with 2 unique, secure user codes for use right out of the box.
- Can be programmed with up to 20 user codes of your choice.
- Codes can be added and deleted.
- Easy lock operation, simply push the Emtek button and turn the exterior thumb turn to lock.
- Easy unlock operation, enter the 4 digit code and turn the exterior thumb turn.
- Programming changes can be made easily using the keypad.
- Sleek keypad has a protective coating to prevent wear patterns.
- Illuminated keypad for easy and quick operation after dark.
- Low battery indicator lets you know when it's time to change the battery.
- Emtek's standard mechanical and finish warranties along with a 2 year warranty on electronic components.



Adaptors available for leversets to fit doors between 1 ⅜" and 1 ⅝" thick.



Passage Function
Shown in Passage
Mode

Storeroom/Gate
Function





- Storeroom / Gate Function**
- Outside lever always locked
 - Entry by code or key only
 - Inside lever always free



- Passage Function in Locked Mode**
- Outside lever always locked
 - Entry by code or key only
 - Inside lever always free





- Passage Function in Passage Mode**
- Outside lever always free
 - Entry by operating lever, no code or key required.
 - Inside lever always free



Adaptors available for deadbolts to fit doors between 1 3/8" and 1 5/8" thick.

Product Features:



- Fits any door between 1 3/4" to 2 1/4" thick with a 2 1/8" bore standard door prep.
- Installs easily with only a Phillips head screwdriver.
- Easy to use installation and programming instructions included.
- Factory programmed with 2 unique, secure user codes for use right out of the box.
- Can be programmed with up to 20 user codes of your choice.
- Codes can be added and deleted.
- Easy lock operation, simply push the Emtek button and turn the exterior thumb turn to lock.
- Easy unlock operation, enter the 4 digit code and turn the exterior thumb turn.
- Programming changes can be made easily using the keypad.
- Keypad has a protective coating to prevent wear patterns.
- Illuminated keypad for easy and quick operation after dark.
- Low battery indicator lets you know when it's time to change the battery.
- Emtek's standard mechanical and finish warranties along with a 2 year warranty on electronic components.




Adaptors available for lever sets to fit doors between 1 3/8" and 1 5/8" thick.

Product Features for both Deadbolt & Lever Locksets:

- Fits any door between 1 3/4" to 2 1/4" thick with a 2 1/8" bore standard door prep.
- Installs easily with only a Phillips head screwdriver.
- Easy to use installation and programming instructions included.
- Factory programmed with 2 unique, secure user codes for use right out of the box.
- Can be programmed with up to 20 user codes of your choice.
- Programming changes can be made easily using the keypad.
- Keypad has a protective coating to prevent wear patterns.
- Illuminated keypad for easy and quick operation after dark.
- Low battery indicator lets you know when it's time to change the battery.
- Emtek's standard mechanical and finish warranties along with a 2 year warranty on electronic components.





		<p>Locked</p> <ul style="list-style-type: none"> • Outside lever always locked • Entry by code or key only • Inside lever always free
<p>Storeroom / Gate Function</p> <ul style="list-style-type: none"> • Outside lever always locked • Entry by code or key only • Inside lever always free 		<p>Passage</p> <ul style="list-style-type: none"> • Outside lever always free • Entry by operating lever, no code or key required. • Inside lever always free

EMTouch™, Modern, Classic Keypad Locks Deadbolt

<p>• Standard Door Thickness: 1³/₄" - 2¹/₄"</p> <p>Standard Components:</p> <ul style="list-style-type: none"> • 8-32 x 1¹/₂" Mounting Screws • Schlage Cylinder w/ 1¹/₂" Tailpiece • Deadbolt Strike Plate 	<p>• Narrow Door Thickness: 1³/₈" - 1⁵/₈"</p> <p>Narrow Components:</p> <ul style="list-style-type: none"> • Extension Plate** <p>**Extension Plate is not available with bronze trim</p>	<p>• Extended Door Thickness: Greater than 2¹/₄"</p> <p>Extended Components:</p> <ul style="list-style-type: none"> • Not Available
--	---	---

EMTouch™, Modern, Classic Keypad Locks Leverset

<p>• Standard Door Thickness: 1³/₄" - 2¹/₄"</p> <p>Standard Components:</p> <ul style="list-style-type: none"> • 8-32 x 1¹/₂" Mounting Screws • Schlage Cylinder w/ 3/8" Lever Lock Tailpiece • Full-Lip Strike Plate* <p>*Extended Full Lip Strike Plate is used on doors greater than 2" thick</p>	<p>• Narrow Door Thickness: 1³/₈" - 1⁵/₈"</p> <p>Narrow Components:</p> <ul style="list-style-type: none"> • Extension Plate** <p>**Extension Plate is not available with bronze trim</p>	<p>• Extended Door Thickness: Greater than 2¹/₄"</p> <p>Extended Components:</p> <ul style="list-style-type: none"> • Not Available
---	---	---